


K02-P



Ordering dimensions in **blue**

Surface roughness	$R_{t\max}$	R_a
Sliding surface	$\leq 2,5 \mu\text{m}$	$0,05\text{--}0,2 \mu\text{m}$
Bottom of groove	$\leq 6,3 \mu\text{m}$	$\leq 1,6 \mu\text{m}$
Groove face	$\leq 15 \mu\text{m}$	$\leq 3 \mu\text{m}$

Bearing area: 50–95% and a cutting depth of $0,5 R_z$ based on $C_{ref} = 0\%$

D H9 over	d h10 incl.	L $+0,2$	$R_{t\max}$	c	Maximal radial extrusion gap			
					20 bar	100 bar	400 bar	700 bar
mm								
13	25	D - 8	6,0	0,4	3,5	0,80	0,80	0,30
25	50	D - 10	7,0	0,4	4,0	1,00	1,00	0,37
50	75	D - 12	8,0	0,4	4,5	1,25	1,24	0,42
75	150	D - 15	10,0	0,4	5,0	1,50	1,47	0,46
150	300	D - 20	12,0	0,4	6,0	2,00	1,77	0,54
300	500	D - 25	18,0	0,4	8,5	2,5	2,06	0,62
500	750	D - 30	20,0	0,4	10,0	3,00	2,43	0,76
750		D - 40	26,0	0,4	13,0	3,00	2,43	0,76
mm								

* Extrusion gap values shown above are valid for a temperature of 70 °C, higher temperatures require lower values.

Ordering example

Profile

D x d x L [mm]

Sealing material / Backup ring

Piston seal K02-P

100 x 85 x 10

ECOPUR / SKF Ecotal

Operating parameters

Material Seal	Back-up ring	Temperature		Speed ¹⁾ max	Pressure ²⁾ max
		from	to		
-		°C		m/s	bar(MPa)
■ ECOPUR		-30			
■ ECOPUR LD		-35			
■ G-ECOPUR	■ SKF Ecota ^[3]	-30		0,5	
■ H-ECOPUR	■ SKF Ecomid ^[3]	-30	+100		700 (70)
■ S-ECOPUR		-20		0,7	
■ T-ECOPUR		-40		0,5	

IMPORTANT NOTE: The stated operating conditions represent general indications. It is recommended not to use all maximum values simultaneously.

¹⁾ Surface speed limit values are valid only in the presence of a lubrication film.

²⁾ Pressure ratings depend on the size of the extrusion gap.

³⁾ D ≤ 260 mm → SKF Ecotal, D > 260 mm → SKF Ecomid.