


# PISTON SEAL SEAL HOUSING

## K05-R



Ordering dimensions in **blue**

Surface roughness  $R_{t\max}$   $R_a$

**Sliding surface**  $\leq 2,5 \mu\text{m}$   $0,05\text{--}0,2 \mu\text{m}$

**Bottom of groove**  $\leq 6,3 \mu\text{m}$   $\leq 1,6 \mu\text{m}$

**Groove face**  $\leq 15 \mu\text{m}$   $\leq 3 \mu\text{m}$

Bearing area: 50–95% and a cutting depth of  $0,5 R_z$  based on  $C_{ref} = 0\%$

### Standard dimensions

D H9 over	d h10 incl.	L $+0,2$	$R_{t\max}$	c	$s^*$
mm					
13	25	D - 8	6,0	0,4	3,5
25	50	D - 10	7,0	0,4	4,0
50	75	D - 12	8,0	0,4	4,5
75	150	D - 15	10,0	0,4	5,0
150	300	D - 20	12,0	0,4	6,0
300	500	D - 25	18,0	0,4	8,5
500	750	D - 30	20,0	0,4	10,0
750		D - 40	26,0	0,4	13,0
$\mu\text{m}$					

\* Extrusion gap values shown above are valid for a temperature of 70 °C, higher temperatures require lower values.

### Ordering example

Profile

D x d x L [mm]

Sealing material

Piston seal K05-R

100 x 85 x 10

SKF Ecorubber-1

**Operating parameters**

Material Seal	Temperature		Speed <sup>1)</sup>	Pressure
	from	to	max	max
-	°C		m/s	bar (MPa)

■ SKF Ecoflas	-10	+200		
■ SKF Ecorubber-H	-25	+150		
■ SKF Ecorubber-1	-30	+100	1	25 (2,5)
■ SKF Ecorubber-2	-20	+200		
■ SKF Ecorubber-3	-50	+150		

IMPORTANT NOTE: The stated operating conditions represent general indications. It is recommended not to use all maximum values simultaneously.

<sup>1)</sup> Surface speed limit values are valid only in the presence of a lubrication film.