


# PISTON SEAL SEAL HOUSING

## K06-P



Ordering dimensions in **blue**

Surface roughness	$R_{t\max}$	$R_a$
<b>Sliding surface</b>	$\leq 2,5 \mu\text{m}$	$0,05\text{--}0,2 \mu\text{m}$
<b>Bottom of groove</b>	$\leq 6,3 \mu\text{m}$	$\leq 1,6 \mu\text{m}$
<b>Groove face</b>	$\leq 15 \mu\text{m}$	$\leq 3 \mu\text{m}$

Bearing area: 50–95% and a cutting depth of  $0,5 R_z$  based on  $C_{ref} = 0\%$

D H9 over	d h10 incl.	L $+0,2$	$R_{t\max}$	c	Maximal radial extrusion gap				
					20 bar	100 bar	200 bar	400 bar	
mm									
14	25	D-8	6,0	0,4	3,5	0,33	0,18	0,11	0,05
25	50	D-10	7,0	0,4	4,0	0,37	0,22	0,16	0,10
50	75	D-12	8,0	0,4	4,5	0,42	0,27	0,20	0,14
75	150	D-15	10,0	0,4	5,0	0,46	0,31	0,25	0,19
150	300	D-20	12,0	0,4	6,0	0,54	0,39	0,32	0,26
300	500	D-25	18,0	0,4	8,5	0,61	0,46	0,39	0,33
500	750	D-30	20,0	0,4	10,0	0,67	0,52	0,45	0,39
750		D-40	26,0	0,4	13,0	0,67	0,52	0,45	0,39

\* Extrusion gap values shown above are valid for a temperature of 70 °C, higher temperatures require lower values.

### Ordering example

Profile

D x d x L [mm]

Sealing material

Piston seal K06-P

100 x 85 x 10

ECOPUR

**Operating parameters**

Material Seal	Temperature		Speed <sup>1)</sup>	Pressure <sup>2)</sup>
	from	to	max	max
-	°C		m/s	bar (MPa)
■ ECOPUR	-30			
■ ECOPUR LD	-35			
■ G-ECOPUR	-30		0,5	
■ H-ECOPUR	-20	+110		400 (40)
■ S-ECOPUR	-20		0,7	
■ T-ECOPUR	-50		0,5	

**IMPORTANT NOTE:** The stated operating conditions represent general indications. It is recommended not to use all maximum values simultaneously.

<sup>1)</sup> Surface speed limit values are valid only in the presence of a lubrication film.

<sup>2)</sup> Pressure ratings depend on the size of the extrusion gap.