


K23-H



Ordering dimensions in blue

Surface roughness $R_{t\max}$ R_a

Sliding surface $\leq 2,5 \mu\text{m}$ $0,05\text{--}0,2 \mu\text{m}$

Bottom of groove $\leq 6,3 \mu\text{m}$ $\leq 1,6 \mu\text{m}$

Groove face $\leq 15 \mu\text{m}$ $\leq 3 \mu\text{m}$

Bearing area: 50–95% and a cutting depth of $0,5 R_z$ based on $C_{ref} = 0\%$

Standard dimensions

D H9 over	d h9 incl.	L $+0,2$	$R_{t\max}$	C	S*
mm					
20	50	D – 10	12,5	0,4	4
50	80	D – 15	20	0,4	5
80	150	D – 20	25	0,4	6
150	400	D – 25	32	0,4	8,5
400	600	D – 30	36	0,4	10

* Extrusion gap values shown above are valid for a temperature of 70 °C, higher temperatures require lower values.

Ordering example

Profile

D x d x L [mm]

Sealing material / Energizer / Backup ring

Piston seal K23-H

100 x 80 x 25

ECOPUR / SKF Ecorubber-1 / SKF Ecotal

Operating parameters

Material Seal	Energizer	Back-up ring	Temperature from	Temperature to	Speed¹⁾ max	Pressure²⁾ max
-			°C		m/s	bar (MPa)
[■] ECOPUR			-30		0,3	
[■] H-ECOPUR	[■] SKF Ecorubber-1	[■] SKF Ecotal ³⁾	-20	+100	0,4	1 500 (150)
[■] S-ECOPUR		[■] SKF Ecomid ³⁾				
[■] T-ECOPUR	[■] SKF Ecosil		-50		0,3	

IMPORTANT NOTE: The stated operating conditions represent general indications. It is recommended not to use all maximum values simultaneously.

¹⁾ Surface speed limit values are valid only in the presence of a lubrication film.

²⁾ Pressure ratings depend on the size of the extrusion gap.

³⁾ D ≤ 260 mm → SKF Ecotal, D > 260 mm → SKF Ecomid.