


## ST08



<b>Sealing material</b> Surface roughness	TPU / Elas R <sub>tmax</sub>	stomers R <sub>a</sub>	PTFE R <sub>tmax</sub>	$R_a$
	<b>m</b> m		<b>m</b> m	
Sliding surface Bottom of groove Groove face	≤ 2,5 ≤ 6,3 ≤ 15	0,05–0,3 ≤1,6 ≤3	≤ 2 ≤ 6,3 ≤ 15	0,05-0,3 ≤1,6 ≤3
Bearing area: 50–95% and a	cutting depth of 0	,5 $R_z$ based on $C_{ref} = 0\%$		

## Standard dimensions

Minimum nominal inside diameter  $d \ge 4.5$  mm.

Profile size, surface data and tolerances are the result of a combination of the relevant application specific sealing material. Standard version: cutting gap 0, cut 45°.

Backup ring	Temperature		
	from	to	
	°C		
■ ECOPUR			
■ ECOPUR LD			
G-ECOPUR			
G-ECOPUR 54D			
H-ECOPUR	-70	+110	
S-ECOPUR	, 0	.110	
■ T-ECOPUR			
X-ECOPUR			
X-ECOPUR H			
X-ECOPUR S			
SKF Ecoflon 1	-200	+260	
SKF Ecoflon 2	-200	+260	
■ SKF Ecomid <sup>1)</sup>	-40	+100	
SKF Ecopaek	-100	+260	
■ SKF Ecotal <sup>1)</sup>	-50	+100	



skf.com | skf.com/seals

<sup>®</sup> SKF, ECOPUR, G-ECOPUR, H-ECOPUR, S-ECOPUR, T-ECOPUR and X-ECOPUR are registered trademarks of the SKF Group.

<sup>©</sup> SKF Group 2015

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.